



David E. Vaughn CPA

(209) 957-8806, fax (209) 957-9589

4540 Gnekow Drive, Stockton, Ca. 95212-1307

System Review Report

May 23, 2012

To the Partners,
Williams, Adley & Company – CA, LLP,
and the Peer Review Committee of the California Society of CPAs

I have reviewed the system of quality control for the accounting and auditing practice of Williams, Adley & Company – CA, LLP (the firm) in effect for the year ended November 30, 2011. My peer review was conducted in accordance with Standards for Performing and Reporting on Peer Reviews established by the Peer Review Board of the American Institute of Certified Public Accountants. The firm is responsible for designing a system of quality control and complying with it to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. My responsibility is to express an opinion on the design of the system of quality control and the firm's compliance therewith based on my review. The nature, objectives, scope, limitations of, and procedures performed in a System Review are described in the standards at www.aicpa.org/prsummary.

As required by the standards, engagements selected for review included engagements performed under *Government Auditing Standards*.

In my opinion, the system of quality control for the accounting and auditing practice of Williams, Adley & Company – CA, LLP in effect for the year ended November 30, 2011, has been suitably designed and complied with to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. Firms can receive a rating of *pass*, *pass with deficiency(ies)* or *fail*. Williams, Adley & Company – CA, LLP has received a peer review rating of *pass*.

A handwritten signature in black ink that reads 'David E. Vaughn' in a cursive script.

David E. Vaughn, CPA